



# ***MS-100***

## Micellar Stimulation Additive

**MS-100** is a micro-emulsion designed and formulated with co-solvents and surfactants to enhance the recovery of stimulation fluids by reducing surface tension and aiding in the clean-up of water based frac fluids and acidizing fluids.

**MS-100** is a non-ionic fluid that is very versatile and compatible with many of the various stimulation fluids used in the oil and gas industry. This micellar additive was designed to be stable at extreme high temperatures.

**MS-100** delivers superior water wetting characteristics in both carbonate and sandstone reservoirs. The result is a more efficient stimulation, with residual wetting, that enhances the performance and life of an oil or gas well and its longevity.

**MS-100** is used as a non-acidic breakdown fluid to enhance stimulation performance at a loading of 15 to 30 gpt.

<b>Specific Gravity:</b>	.92
<b>Appearance/Odor:</b>	Clear/Citric Aroma
<b>Flash Point:</b>	211
<b>pH:</b>	6-8

**MS-100** is recommended at a loading of 2 to 5 gpt in fracturing fluids and acidizing fluids. It is suggested to always run a compatibility of fluids.

**MS-100** is available in 55 gallon drums and 264 gallon totes

*P.O. Box 2157  
Conroe, TX 77318  
[solutions@sosenvironmental.com](mailto:solutions@sosenvironmental.com)*